

May 16, 2022

P-RFQ No. 2022-026A

REQUEST FOR QUOTATION

SUPPLY AND DELIVERY OF VARIOUS CONTROL PANEL COMPONENTS, PRESSURE TRANSMITTER AND FLOW METER ACCESSORY

The Santa Maria Water District (SMWD) hereinafter referred to as “the Purchaser”, through its Bids and Awards Committee (BAC), invite interested parties to submit price quotation for the project, “**SUPPLY AND DELIVERY OF VARIOUS CONTROL PANEL COMPONENTS, PRESSURE TRANSMITTER AND FLOW METER ACCESSORY**” through Small Value Procurement (Sec. 53.9 of R.A. No. 9184) with Approved Budget for the Contract (ABC) of Two Hundred Fifty Five Thousand Four Hundred Thirty One Pesos Only (**₱255,431.00**).

	Description	Qty	Unit	Unit Cost	Total Amount
1	BLOWER FAN - for control panel; 24 volts DC; 4”	11	PC		
2	CONTROL RELAY CAD32 - 10A, 690V, 50/60Hz	3	PC		
3	HOUR COUNTER - HM-1 - time range: 0 ~ 99999.99 hours - supply voltage: AC 110V, 220V 50 or 60Hz / DC 1~50V - HM-C 72mm x 72mm	3	PC		
4	THERMAL OVERLOAD RELAY - contact current rating: 80A - max operating temperature: 60°C - min operating temperature: -20°C - power circuit: 9 N.m – on screw clamp terminals - control circuit: 1.7 N.m – on screw clamp terminals - height: 123mm - width: 75mm - depth: 121mm	3	PC		
5	TIMER 8 PINS - 100 to 240 VAC (50/60 Hz)/100 to 125 VDC, 24 to 48 VAC (50/60 Hz)/12 to 48 VDC (24 to 48 VAC/VDC for H3CR-A8E) *3 - operation mode: ON delay, flicker OFF start, flicker ON start, interval, one shot output	3	PC		
6	TIMER 11 PINS - 100 to 240 VAC (50/60 Hz)/100 to 125 VDC, 24 to 48 VAC (50/60 Hz)/12 to 48 VDC (24 to 48 VAC/VDC for H3CR-A8E) *3 - operation mode: ON delay, flicker OFF start, flicker ON start, signal ON/OFF-delay, interval, signal ON/OFF-delay, one shot	3	PC		





Santa Maria WATER DISTRICT

7	TIMER PNEUMATIC LADT26 - mounting location: front - pole contact position: 1 NO + 1 NC - contacts operation: time delay - timer type: on delay - time delay range: 1...3 s	3	PC		
8	UNDER/OVER RELAY VOLTAGE SENSOR - output capacity: SPDT 7AMP/250VDC - 3-phase/220V	3	PC		
9	PRESSURE TRANSMITTER - most compatible for Danfoss Brand - MBS 33 Output: 4-2 Ma - Range: 0-10 bar Supply: 10-30Vdc - Pressure connection size: 1/2" Ø	5	PC		
10	FLOW METER ACCESSORY Compatible with SITRANS Flow Meter For MAG 5000/ including standard coil cable - 3x1.5mm ² , gauge 18, single shielded w/ PVC jacket	30	LM		
	*** nothing follows ***				

All items listed under the purchaser's specifications must be complied on a pass-fail basis.

Failure to meet any one of the requirements will result to rejection. Likewise, it is understood that Purchaser's specifications are minimum requirements. The Bidder/Supplier may offer higher specifications or additional items, if any.

Procurement procedures will be conducted in accordance with the provisions of the Implementing Rules and Regulations (IRR) of Republic Act No. 9184 (Government Procurement Reform Act).

It is the intent of the Purchaser to evaluate the quotation for the item and award will be made to the quotation resulting in the overall lowest cost. Contract Award will be made to the lowest evaluated quotation meeting purchaser's technical specifications.

Likewise, in accordance with Section 54.6 and Appendix A of Annex "H" (Consolidated Guidelines for the Alternative Methods of Procurement) of the IRR of RA No. 9184, the supplier shall provide the following documentary requirements as a **condition for award** of the contract:

1. PhilGEPS Registration Number; and
2. Mayor's/Business Permit.
3. Photo Copy of Sample Official Receipt (OR)
4. Certificate of Registration (BIR FORM 2303)
5. Duly Notarized Omnibus Sworn Statement.

Your prices must be quoted in Philippine Peso and must include the unit price and total price, inclusive of all taxes to be paid and other incidental cost to the delivery site if the contract is awarded.



All quotations may be typewritten or handwritten and may be placed in sealed envelope marked "**SUPPLY AND DELIVERY OF VARIOUS CONTROL PANEL COMPONENTS, PRESSURE TRANSMITTER AND FLOW METER ACCESSORY**" (RFQ No. 2022-026A) and must be submitted on or before **May 20, 2022, 11:00AM** at the SMWD main office. It may also be sent thru email on our official email address at smwdbulacan@yahoo.com on the specified time stated above and address to the General Manager, Engr. Carlos N. Santos Jr.

Quotations shall be valid for thirty (30) calendar days from the deadline of submission of the same.

The delivery period shall be within **5 Days** from receipt of the Purchase Order (PO). The supplier should inform the purchaser at least two (2) days before the date of delivery. The Purchaser shall have the right to reject or to return the items that will be declared defective. The delivery will be made only during working days from 8:00 AM to 5:00 PM.

DELIVERY SITE: General Services Division of SMWD located at J. P. Rizal St., Dulong Bayan, Santa Maria, Bulacan.

The prospective supplier shall submit the following:

- Duly accomplished Quotation Form (*Attachment A*); and
- Brochures of the items offered, if any.

The Santa Maria Water District reserves the right to accept or reject any quotation, and to annul the procurement process and reject all quotations at any time prior to Contract award, without thereby incurring any liability to the affected supplier or suppliers. SMWD also reserves the right to waive any required formality in the proposals received, and select the proposal which it determines to be the most advantageous to the government.

Prepared by:

Noted by:

Sgd.

Romel P. Lazaga
Procurement Assistant

Sgd.

Maria Leonora S. Romarate
BAC Chairperson