

July 19, 2023

P-RFQ No. 2023-057

REQUEST FOR QUOTATION

SUPPLY AND DELIVERY OF VARIOUS CAST IRON (CI) AND DUCTILE IRON (DI) FITTINGS

The Santa Maria Water District (SMWD) hereinafter referred to as "the Purchaser", through its Bids and Awards Committee (BAC), invite interested parties to submit price quotation for the project, "SUPPLY AND DELIVERY OF VARIOUS CAST IRON (CI) AND DUCTILE IRON (DI) FITTINGS" through Small Value Procurement (Sec. 53.9 of R.A. No. 9184) with Approved Budget for the Contract (ABC) of Ninety Five Thousand Seven Hundred Eighty Two and Thirty Five Centavos Only (₱95,782.35).

	Description	Qty	Unit	Unit Cost	Total Amount
1	CI ADAPTOR RED FF 150mm X 50mm w/ BNG	1	PC		
2	CI TEE FF 150mm w/ BNG	1	PC		
3	CI THREADED FLANGE 150mm w/ BNG	4	PC		
4	CI VALVE BOX COVER 150mm	2	PC		
5	DI ADAPTOR RF 150mm w/ BNG	5	PC		
6	CI CHECK VALVE FF 150mm w/ BNG - wafer type	1	PC		
	*** nothing follows ***				
	Please see attached technical specifications				

All items listed under the purchaser's specifications must be complied on a pass-fail basis.

Failure to meet any one of the requirements will result to rejection.

Likewise, it is understood that Purchaser's specifications are minimum requirements. The Bidder/Supplier may offer higher specifications or additional items, if any.

Procurement procedures will be conducted in accordance with the provisions of the Implementing Rules and Regulations (IRR) of Republic Act No. 9184 (Government Procurement Reform Act).

It is the intent of the Purchaser to evaluate the quotation for the item and award will be made to the quotation resulting in the overall lowest cost, meeting purchaser's technical specifications.

Likewise, in accordance with Section 54.6 and Appendix A of Annex "H" (Consolidated Guidelines for the Alternative Methods of Procurement) of the IRR of RA No. 9184, the supplier shall provide the following documentary





requirements as a **condition for award** of the contract. The documents shall be attached together with the quotations.

- 1. PhilGEPS Registration Number
- 2. Mayor's/Business Permit
- 3. Photo Copy of Sample Official Receipt (OR)
- 4. Certificate of Registration (BIR FORM 2303); and
- 5. Duly Notarized Omnibus Sworn Statement. (If unable to have the document notarized, you may submit a signed unnotarized Omnibus Sworn Statement, subject to compliance therewith after award of contract but before payment).

Your prices must be quoted in Philippine Peso and must include the unit price and total price, inclusive of all taxes to be paid and other incidental cost to the delivery site if the contract is awarded.

Payment shall be through check and advance payment is not allowed. Payment shall only be made upon completion of delivery of all items.

All quotations may be typewritten or handwritten and may be placed in sealed envelope marked "SUPPLY AND DELIVERY OF VARIOUS CAST IRON (CI) AND DUCTILE IRON (DI) FITTINGS" (RFQ No. 2023-057) and must be submitted on or before July 24, 2023, 11:00AM at the SMWD main office. It may also be sent thru email on our official email address at smwdbulacan@yahoo.com on the specified time stated above and address to the General Manager, Engr. Carlos N. Santos Jr.

Quotations shall be valid for thirty (30) calendar days from the deadline of submission of the same.

The delivery period shall be within **5 Days** from receipt of the Purchase Order (PO). The supplier should inform the purchaser at least two (2) days before the date of delivery. The Purchaser shall have the right to reject or to return the items that will be declared defective. The delivery will be made only during working days from 8:00 AM to 5:00 PM.

DELIVERY SITE: General Services Division of SMWD located at 301 J. P. Rizal St., Dulong Bayan, Santa Maria, Bulacan.

The prospective supplier shall submit the following:

- a) Duly accomplished Quotation Form; and
- b) Brochures of the items offered, if any.


The Santa Maria Water District reserves the right to accept or reject any quotation, and to annul the procurement process and reject all quotations at any time prior to Contract award, without thereby incurring any liability to the affected supplier or suppliers. SMWD also reserves the right to waive any required formality in the proposals received, and select the proposal which it determines to be the most advantageous to the government.





Prepared by:	Noted by:
Sgd.	Sgd.
Romel P. Lazaga	Maria Leonora S. Romarate
Procurement Assistant	BAC Chairperson






DIMENSIONS(in.millimeter)								BOLTHOLE	
NOM.SIZE	Α	t	O.D.	I.D	BCD.	F	No.	Ø	
50x50	114.5	8	165	50	125	20	4	18	
75x75	140	12	200	75	160	21	4	18	
100x100	165	13	220	100	180	23.9	8	18	
150x150	203	14	285	150	240	25.4	8	22	
200x200	228.5	16	340	200	295	28.6	8	22	
250x250	279.5	17.5	395	250	350	30.3	12	22	
300x300	304.5	19	445	300	400	31.8	12	22	

- *1.IRONBODYASPERASTMA126CLASSB.
- 2.EXTERIORSURFACESTOBEPAINTEDWITHBLACKCOALTAR.
- 3.INTERIORSURFACESTOBECEMENTLINEDASPERAWWAC-104.
- 4.PLAINMACHINEFINISHEDONFLANGESURFACES.

FULLSECTIONVIEWOFFLANGEDTEE

STANDARDSHOPDRAWING	SANTAMARIAWATERDISTRICT			
C.I.FLANGEDTEE	PreparedBy: Engr.EmmanuelEnricoA.deVera DepartmentManagerB	ApprovedBy: Engr.CarlosN.Santos,Jr. GeneralManager	1	



FULLSECTIONVIEWOFMECHANICAL FLANGETEE

TABLEOFDIMENSIONINMILLIMETER								
NOMINA	AL SIZE			NOMINA	AL SIZE			
MAIN	BRANCH	Α	В	MAIN	BRANCH	Α	В	
50	50	150	114.5	200	100	257	228.5	
63	50	160	127	200	150	257	228.5	
63	63	160	127	200	200	257	228.5	
75	50	170	140	250	50	300	279.5	
75	63	170	140	250	63	300	279.5	
75	75	170	140	250	75	300	279.5	
100	50	192	165	250	100	300	279.5	
100	63	192	165	250	150	300	279.5	
100	75	192	165	250	200	300	279.5	
100	100	192	165	250	250	300	279.5	
150	50	215	203	300	50	344	304.5	
150	63	215	203	300	63	344	304.5	
150	75	215	203	300	75	344	304.5	
150	100	215	203	300	100	344	304.5	
150	150	215	203	300	150	344	304.5	
200	50	257	228.5	300	200	344	304.5	
200	63	257	228.5	300	250	344	304.5	
200	75	257	228.5	300	300	344	304.5	

^{*1.}CASTIRONMATERIALTOCONFORMWITHASTMA126CLASSB.

5.REFERTODWG.NO.86-010FORMECHANICALJOINTDETAIL.


6.REFERTODWG.NO.86-009FORFLANGEDJOINTDETAIL.

STANDARDSHOPDRAWING	SANTAMARIAWATERDISTRICT			
C.I.MECHANICALFLANGETEE	PreparedBy: Engr.EmmanuelEnricoA.deVera DepartmentManagerB	ApprovedBy: Engr.CarlosN.Santos,Jr. GeneralManager	2	

^{2.}EXTERIORSURFACESTOBEPAINTEDWITHBLACKCOALTARENAMEL.

^{3.}INTERIORSURFACESTOBECEMENTLINEDASPERAWWAC-104.

^{4.}SURFACESDIRECTLYINCONTACTWITHPIPESORGASKETTOBEMACHINEFINISHED.




FULLSECTIONVIEWOFCASTIRON MECHANICALTEE

DIMENSIONSINMM.						
NOM.SIZE	А	t				
50x50	150	6.5				
63x63	160	8				
75x75	170	10				
100x100	192	11				
150x160	215	12.5				
200x200	257	14				
250x250	300	16				
300x300	344	18				

- *IRONBODYASPERASTMA125CLASSB.
- *EXTERIORSURFACESTOBEPAINTEDWITH BLACKCOALTARENAMEL.
- *INTERIORSURFACESTOBECEMENTLINED ASPERAWWAC-104.
- *SURFACESDIRECTLYINCONTACTWITH PIPEORGASKETAREMACHINEDFINISHED.
- *REFERTODRAWING86-010FORDETAILED MECHANICALJOINT.

STANDARDSHOPDRAWING	SANTAMARIAWATERDISTRICT		
C.I.MECHANICALTEE	PreparedBy: Engr.EmmanuelEnricoA.deVera DepartmentManagerB	ApprovedBy: Engr.CarlosN.Santos,Jr. GeneralManager	3

Manufacturer's Standards



- Notes:
- 1. All dimensions are in millimeters.
- 2. Castiron materials conform with ASTMA48 class 30 C.
- 3. Rubberrings are made from natural vulcanized rubber which conform toISO4633class70.
- 4.BoltsandNnutsconformtoASTMA307andASTMA563respectively. GalvanizedperASTMA153.
- 5. Exterior coated with a coal-tarename latleast 50 micronsthick.
- 6. All surfaces directly incontact with the pipe and rubberring have either beenmachinefinishedorgroundsmooth.
- 7. Pipeorfittingmarkingsinclude:
- -Nameofmanufacturer
- -Size
- -CastIron
- 8. Rubbermarkingsinclude:
- -Type
- -Sizeofintendeduse
- -Nameofmanufacturer
- 9.InteriorislinedwithcementconformingtoAWWAC-104standards.

GeneralManager

10. Fitting dimensions shall conform with AWWAC-110.

NOMINAL	PIPE	А	В	С	D	Н	н.	H ₂	H ₁ H ₂	1.	t	FLANGE	HOLE	F
SIZE	OD						''1	''2	¹ 1	,	No.	Ø	'	
50	63	153	125	50.8	65	18	63.5	125	15	8	4	19	18	
75	90	190	160	76.2	92	18	75	128	16	12	4	19	20	
100	110	229	180	101.6	112	20	80	151	16	12	8	19	24	
150	160	280	240	152.4	163	28	85	160	19	17	8	22	26	
200	225	343	295	203.2	228	26	85	165	24	17	8	22	29	
250	280	406.4	350	254	283	28	85	173	26	19	12	25	30	
300	315	483	400	304.8	318	28	105	191	28	19	12	25	32	

H,

Η,

Н

RUBBERRING

(DETAIL)

MARKING: MANUFACTURER YEAR

\$IZE

5mm Cement

F


0


⋖

Ω

STANDARDSHOPDRAWING	STA.MARIAWATERDISTRICT		SHEETNO.
	PreparedBy:	ApprovedBy:	_
C.I.MECHFLANGEADAPTER	Engr.EmmanuelEnricoA.deVera	Engr.CarlosN.Santos,Jr.	4

DepartmentManagerB





No.	PartsName	
1	Body	
2	TensileSealingRing	
3	Bracket	
4	Washer	
5	Nut	
6	SquareNeckBolt	
7	Сар	

TABLEOFDIMENSIONINMILLIMETER								
SIZE	PipeOD	D3	D	b	L	L1		
DN50	50	50	165	18	63	125		
DN50DN60DN65	63	55	180	18	63	125		
DN60DN65	75	66	180	18	63	125		
DN80	90	84	180	18	63	125		
DN100	110	105	200	18	63	125		
DN125	125	125	220	18	63	125		
DN150	160	154	285	18	63	125		
DN200	200	200	340	18	63	125		
DN200	225	210	340	23	82	175		
DN250	250	250	400	26	82	175		
DN250	280	275	400	26	88	175		
DN300	315	302	455	26	88	175		

STANDARDSHOPDRAWING	STA.MARIAWATERDISTRICT		SHEETNO.
D.I.RestrainedFlangeAdaptor	PreparedBy: Engr.EmmanuelEnricoA.deVera DepartmentManagerB	ApprovedBy: Engr.CarlosN.Santos,Jr. GeneralManager	5