

January 4, 2024

P-RFQ No. 2024-007

## REQUEST FOR QUOTATION

### SUPPLY AND DELIVERY OF VARIOUS CAST IRON (CI) FITTINGS

The Santa Maria Water District (SMWD) hereinafter referred to as "the Purchaser", through its Bids and Awards Committee (BAC), invite interested parties to submit price quotation for the project, "**SUPPLY AND DELIVERY OF VARIOUS CAST IRON (CI) FITTINGS**" through Small Value Procurement (Sec. 53.9 of R.A. No. 9184) with Approved Budget for the Contract (ABC) of One Hundred Eight Thousand Five Hundred Sixty and Forty-Three Centavos Only (**₱108,560.43**).

	Description	Qty	Unit	Unit Cost	Total Amount
1	<b>CI CHECK VALVE FF 100mm WAFER TYPE</b>	2	PC		
2	<b>CI TEE FF 100mm w/ BNG</b>	2	PC		
3	<b>CI WELDABLE FLANGE 100mm w/ BNG</b>	21	PC		
	*** nothing follows ***				
	*** <b>Submission of Sample Fittings is required</b> ***				
	*** please see attached technical specifications ***				

All items listed under the purchaser's specifications must be complied on a pass-fail basis.

Failure to meet any one of the requirements will result to rejection.

Likewise, it is understood that Purchaser's specifications are minimum requirements. The Bidder/Supplier may offer higher specifications or additional items, if any.

Procurement procedures will be conducted in accordance with the provisions of the Implementing Rules and Regulations (IRR) of Republic Act No. 9184 (Government Procurement Reform Act).

It is the intent of the Purchaser to evaluate the quotation for the item and award will be made to the quotation resulting in the overall lowest cost, meeting purchaser's technical specifications.

Likewise, in accordance with Section 54.6 and Appendix A of Annex "H" (Consolidated Guidelines for the Alternative Methods of Procurement) of the IRR of RA No. 9184, the supplier shall provide the following documentary requirements as a **condition for award** of the contract. The documents shall be attached together with the quotations.



1. PhilGEPS Registration Number
2. Mayor's/Business Permit
3. Photo Copy of Sample Official Receipt (OR)
4. Certificate of Registration (BIR FORM 2303); and
5. Duly Notarized Omnibus Sworn Statement.

Your prices must be quoted in Philippine Peso and must include the unit price and total price, inclusive of all taxes to be paid and other incidental cost to the delivery site if the contract is awarded.

Payment shall be through check and advance payment is not allowed. Payment shall only be made upon completion of delivery of all items.

All quotations may be typewritten or handwritten and may be placed in sealed envelope marked "**SUPPLY AND DELIVERY OF VARIOUS CAST IRON (CI) FITTINGS**" (RFQ No. 2024-007) and must be submitted on or before **January 9, 2024, 11:00AM** at the SMWD main office. It may also be sent thru email on our official email address at [smwdbulacan@yahoo.com](mailto:smwdbulacan@yahoo.com) on the specified time stated above and address to the General Manager, Engr. Carlos N. Santos Jr.

Quotations shall be valid for thirty (30) calendar days from the deadline of submission of the same.

The delivery period shall be within **5 Days** from receipt of the Purchase Order (PO). The supplier should inform the purchaser at least two (2) days before the date of delivery. The Purchaser shall have the right to reject or to return the items that will be declared defective. The delivery will be made only during working days from 8:00 AM to 5:00 PM.

DELIVERY SITE: General Services Division of SMWD located at 301 J. P. Rizal St., Dulong Bayan, Santa Maria, Bulacan.

The prospective supplier shall submit the following:

- a) Duly accomplished Quotation Form; and
- b) Brochures of the items offered, if any.

The Santa Maria Water District reserves the right to accept or reject any quotation, and to annul the procurement process and reject all quotations at any time prior to Contract award, without thereby incurring any liability to the affected supplier or suppliers. SMWD also reserves the right to waive any required formality in the proposals received, and select the proposal which it determines to be the most advantageous to the government.

**Prepared by:**

**Noted by:**

Sgd.

Sgd.

**Romel P. Lazaga**  
**Procurement Assistant**

**Maria Leonora S. Romarate**  
**BAC Chairperson**

# Technical Specifications

Item	Specification	Statement of Compliance
Short Body Cast Iron	<p>Short body cast iron fittings shall conform to the requirements of the "American Standard for Cast Iron and Ductile Iron Fittings, 2 in. through 45 in., for Water and Other Liquids" (AWWA C-110) or "Cast Iron Pipes, Special Castings and Cast Iron Parts for Pressure Main Lines" (ISO R13).</p> <p>Fittings shall have a wall thickness of not less than that of the pipe with which they are used and the ends shall have the ends suitable for making watertight joints.</p>	
01	<p>Sleeve Type Coupling (STC)</p> <ul style="list-style-type: none"> <li>&gt; Galvanized bolts &amp; nuts as per ASTM 164</li> <li>&gt; Cast Iron body as per ASTM A-126 Class B</li> <li>&gt; Natural Vulcanized rubber gasket</li> <li>&gt; Cast Iron follower as per ASTM A-126 Class B</li> <li>&gt; <b>ALL DIMENSIONS SHALL CONFORM TO ISO STANDARDS</b></li> </ul>	
02 03 04 05 06	<p>Mechanical Flange Tee Flange Cross Tee Mech/Flange Adapter Mechanical Cross Tee Mechanical Bend</p> <ul style="list-style-type: none"> <li>&gt; Cast iron material shall conform to ASTM A48 Class 35C</li> <li>&gt; Rubber rings are made of natural vulcanized rubber conform to ISO 4633 class 70</li> <li>&gt; Bolts and nuts conform to ASTM A307 and ASTM A563, respectively. Galvanized per ASTM A153</li> <li>&gt; Exterior coating coal-tar enamel at least 50 microns thick</li> <li>&gt; All surfaces directly in contact with pipe and rubber ring are machine finished or ground smooth</li> <li>&gt; Pipe or fitting markings: <ul style="list-style-type: none"> <li>o Name of manufacturer</li> <li>o Size</li> <li>o Year of manufacture</li> <li>o Cast iron</li> <li>o MWSI</li> </ul> </li> <li>&gt; Rubber markings: <ul style="list-style-type: none"> <li>o Type</li> </ul> </li> </ul>	

	<ul style="list-style-type: none"> <li>○ Size of intended use</li> <li>○ Name of manufacturer</li> </ul> <p>&gt; <b>ALL DIMENSIONS SHALL CONFORM TO ISO STANDARDS</b></p>	
07	<p>Flange Tee (FE x FE xFE)</p> <ul style="list-style-type: none"> <li>&gt; Cast iron material shall conform to ASTM A48 Class 35C</li> <li>&gt; Rubber rings are made of natural vulcanized rubber conform to ISO 4633 class 70</li> <li>&gt; Bolts and nuts conform to ASTM A307 and ASTM A563, respectively. Galvanized per ASTM A153</li> <li>&gt; Interior coating: cement-lined per AWWA C-104. Exterior coating coal-tar enamel at least 50 microns thick</li> <li>&gt; All surfaces directly in contact with pipe and rubber ring are machine finished or ground sooth</li> <li>&gt; Pipe or fitting markings: <ul style="list-style-type: none"> <li>○ Name of manufacturer</li> <li>○ Size</li> <li>○ Year of manufacture</li> <li>○ Cast iron</li> <li>○ MWSI</li> </ul> </li> <li>&gt; Rubber markings: <ul style="list-style-type: none"> <li>○ Type</li> <li>○ Size of intended use</li> <li>○ Name of manufacturer</li> </ul> </li> <li>&gt; Fitting dimension conform to AWWA C-110</li> <li>&gt; Flange dimension shall conform to ISO 7005-2</li> <li>&gt; <b>ALL DIMENSIONS SHALL CONFORM TO ISO STANDARDS</b></li> </ul>	
	<b>ALL DIMENSIONS SHALL CONFORM TO ISO STANDARDS</b>	