

April 4, 2024

P-RFQ No. 2024-038B

REQUEST FOR QUOTATION

**SUPPLY AND DELIVERY OF VARIOUS CONSTRUCTION TOOLS AND MATERIALS
(WR-2023-12-036, WR-2024-01-007, 02-020, 022)**

The Santa Maria Water District (SMWD) hereinafter referred to as "the Purchaser", through its Bids and Awards Committee (BAC), invite interested parties to submit price quotation for the project, "**SUPPLY AND DELIVERY OF VARIOUS CONSTRUCTION TOOLS AND MATERIALS**" through Small Value Procurement (Sec. 53.9 of R.A. No. 9184) with Approved Budget for the Contract (ABC) of One Hundred Seventy-Three Thousand One Hundred Eighty-Three Pesos and Eighty Centavos Only (**₱173,183.80**).

| | Description | Qty | Unit | Unit Cost | Total Amount |
|----|------------------------------------|-----|------|-----------|--------------|
| 1 | ADJUSTABLE WRENCH 10 | 2 | PC | | |
| 2 | ALLEN WRENCH | 2 | SET | | |
| 3 | CABLE TIE NO.12 | 5 | PACK | | |
| 4 | CABLE TIE NO.4 | 5 | PACK | | |
| 5 | CABLE TIE NO.8 | 5 | PACK | | |
| 6 | CHAIN | 10 | MTR | | |
| 7 | COMBINATION WRENCH TOOL SET | 2 | SET | | |
| 8 | DIGITAL CLAMP METER | 2 | SET | | |
| 9 | DIGITAL MULTI METER | 2 | UNIT | | |
| 10 | ELECTRICAL PLIER | 2 | PC | | |
| 11 | ELECTRICAL UTILITY TOOL SET | 1 | SET | | |
| 12 | EXTENSION WHEEL | 1 | PC | | |
| 13 | FLASHLIGHT RECHARGEABLE | 20 | PC | | |
| 14 | HEAT GUN | 1 | PC | | |
| 15 | HOOK | 52 | PC | | |
| 16 | LONG NOSE 6 | 2 | PC | | |
| 17 | METAL SCREW NO. 10 | 5 | PC | | |
| 18 | METAL SCREW NO. 5 | 5 | PC | | |
| 19 | PENETRATING OIL SPRAY | 4 | CAN | | |



Santa Maria WATER DISTRICT

| | | | | | |
|----|---|---|------|--|--|
| 20 | PHILLIPS SCREW DRIVER 5 | 2 | PC | | |
| 21 | PIPE WRENCH 12 | 3 | PC | | |
| 22 | PIPE WRENCH 14 | 2 | PC | | |
| 23 | PORTABLE DRILLER | 1 | UNIT | | |
| 24 | PRECISION TOOL SET | 1 | SET | | |
| 25 | PURE NICKLE PLATE | 4 | PC | | |
| 26 | RAKE | 3 | PC | | |
| 27 | SCREW DRIVER FLAT 5 | 2 | PC | | |
| 28 | SCREW DRIVER FLAT 6 | 2 | PC | | |
| 29 | SEALANT GUN | 1 | PC | | |
| 31 | SHOVEL FLAT | 1 | PC | | |
| 31 | SHOVEL POINTED | 1 | PC | | |
| 32 | SOLDERING IRON SET | 1 | SET | | |
| 33 | SPATULA | 4 | PC | | |
| 34 | WISE GRIP CR 10 | 2 | PC | | |
| 35 | WARNING TAPE | 1 | PC | | |
| | *** nothing follows *** | | | | |
| | *** please see attached specifications*** | | | | |

All items listed under the purchaser's specifications must be complied on a pass-fail basis.

Failure to meet any one of the requirements will result to rejection.

Likewise, it is understood that Purchaser's specifications are minimum requirements. The Bidder/Supplier may offer higher specifications or additional items, if any.

Procurement procedures will be conducted in accordance with the provisions of the Implementing Rules and Regulations (IRR) of Republic Act No. 9184 (Government Procurement Reform Act).

It is the intent of the Purchaser to evaluate the quotation for the item and award will be made to the quotation resulting in the overall lowest cost, meeting purchaser's technical specifications.

Likewise, in accordance with Section 54.6 and Appendix A of Annex "H" (Consolidated Guidelines for the Alternative Methods of Procurement) of the IRR of RA No. 9184, the supplier shall provide the following documentary requirements as a **condition for award** of the contract. The documents shall be attached together with the quotations.



1. PhilGEPS Registration Number
2. Mayor's/Business Permit
3. Photo Copy of Sample Official Receipt (OR)
4. Certificate of Registration (BIR FORM 2303);
5. Duly Notarized Omnibus Sworn Statement.

Your prices must be quoted in Philippine Peso and must include the unit price and total price, inclusive of all taxes to be paid and other incidental cost to the delivery site if the contract is awarded.

Payment shall be through check and advance payment is not allowed. Payment shall only be made upon completion of delivery of all items.

All quotations may be typewritten or handwritten and may be placed in sealed envelope marked "**SUPPLY AND DELIVERY OF VARIOUS CONSTRUCTION TOOLS AND MATERIALS**" (RFQ No. 2024-038B) and must be submitted on or before **April 10, 2024, 11:00AM** at the SMWD main office. It may also be sent thru email on our official email address at smwdbulacan@yahoo.com on the specified time stated above and address to the **BAC Chairperson, Maria Leonora S. Romarate**.

Quotations shall be valid for thirty (30) calendar days from the deadline of submission of the same.

The delivery period shall be within **5 Days** from receipt of the Purchase Order (PO). The supplier should inform the purchaser at least two (2) days before the date of delivery. The Purchaser shall have the right to reject or to return the items that will be declared defective. The delivery will be made only during working days from 8:00 AM to 5:00 PM.

DELIVERY SITE: General Services Division of SMWD located at 301 J. P. Rizal St., Dulong Bayan, Santa Maria, Bulacan.

The prospective supplier shall submit the following:

- a) Duly accomplished Quotation Form; and
- b) Brochures of the items offered, if any.

The Santa Maria Water District reserves the right to accept or reject any quotation, and to annul the procurement process and reject all quotations at any time prior to Contract award, without thereby incurring any liability to the affected supplier or suppliers. SMWD also reserves the right to waive any required formality in the proposals received, and select the proposal which it determines to be the most advantageous to the government.

Prepared by:







Noted by:




Sgd.









Sgd.








Romel P. Lazaga
Procurement Assistant

Maria Leonora S. Romarate
BAC Chairperson

| NO. | ITEM | SPECIFICATION | REMARKS |
|-----|-------------------------|---|---|
| 1 | Cable Tie No. 4 | NYLON CABLE TIE (black) 100 PCS per pack 4" (2.5 x 100mm) |  |
| 2 | Cable Tie No. 8 | NYLON CABLE TIE (black) 100 PCS per pack 8" Heavy Duty (4.8 x 200mm) | |
| 3 | Cable Tie No. 12 | NYLON CABLE TIE (black) 100 PCS per pack 12" Heavy Duty (4.8 x 300mm) | |
| 4 | Flashlight Rechargeable | <p>Lumen: 800LUMEN</p> <ul style="list-style-type: none"> •Body Material:Aluminum Alloy •LED : Cree LED •Switch Mode: High/Middle/Low/Strobe/SOS •Color: BLACK •Certification:CCC ,RoHS,ce,FCC •Beam Distance: 90m •Charger: charge battery directly •Water resistant: IP65,2 meter under water •Battery Type:only 18650(included) •Wattage: 10W •Intensity: N8F-6800cd/N81-2000cd •Run Time:100 Hours •Drop Resistant:1M •Size:116.6*26.4mm •Weight: 66g(Not include Battery) |  |
| 5 | PIPE WRENCH 12 | <p>12-inch (300 mm) pipe wrenches are ideal for pipe diameters of 1/2 inch (13 mm) to 1-1/2 inch (40 mm) with a pipe capacity of up to 2 inches (50 mm)</p> <p>Heavy-duty RIDGID pipe wrenches comply with federal specifications GGG-W65IE, Type II, Class A</p> <p>Plumbing wrench features self-cleaning threads with easily replaceable hook jaw, heel jaw and spring assembly</p> <p>Durable ductile-iron housing and I-beam handle for exceptional strength and longevity</p> <p>Designed with a full floating forged hook jaw for superior gripping and quick adjustments</p> |  |
| 6 | PIPE WRENCH 14 | <p>Straight Pipe Wrenches have a sturdy, ductile-iron housing and an I-beam handle with a full floating forged hook jaw, featuring self-cleaning threads with replaceable hook and heel jaws.</p> <p>Heavy-duty pipe wrenches comply with federal specifications GGG-W65IE, Type II, Class A.</p> <p>Catalog No. 31020</p> <p>Nominal Size: 14 inches (350mm)</p> <p>Pipe Capacity: 2 inch (50mm)</p> <p>Weight: 3 1/2 lb (1.6kg)</p> |  |
| 7 | HOOK | Cap Hook Screw PVC Coated 2" |  |
| 8 | ADJUSTABLE WRENCH | <p>ASME Specification :Meets or Exceeds</p> <p>Handle Material :Alloy Steel</p> <p>Flexible :No</p> <p>Overall Length :10.0</p> <p>Size :0 in - 1.312 in</p> <p>ANSI Specification :Meets or Exceeds</p> <p>Packaging :Carded</p> <p>Weight (Catalog) :1.06</p> <p>Warranty :Full Lifetime</p> <p>Jaw Thickness :.4</p> <p>Jaw Width :2.9</p> <p>Jaw Size Scale :Yes</p> <p>Finish :Satin Chrome with Polished Face</p> <p>Overall Height :0.75</p> <p>UPC :037103254009</p> <p>Overall Width :3.0</p> <p>Jaw Capacity :0 in - 1.312 in</p> <p>Jaw Length :1.13</p> <p>Material :Alloy Steel</p> |  |



| | | | |
|----|---------------------|---|---|
| 9 | PORTABLE DRILLER | <ul style="list-style-type: none"> * Next-level compactness with strong performance and brushless motor * Easy handling and operation due to compact design * High-efficiency brushless motor extends work hours and tool life * Maximum performance and efficiency with working speed of up to 1,900 rpm * Optimal for screwdriving in wood or drilling in wood and metal in narrow spaces <p style="text-align: center;">INCLUSIONS:</p> <p style="text-align: center;">1 x Brushless Cordless Drill Driver 18V; 1 x Carrying Case; 1 x 23pcs. Accessories; 2 x Battery GBA 18V 2.0Ah (spare part number 1 617 B00 0BJ); 1 x Charger GAL 18V-20 Professional 1 600 A02 1KT;</p> |  |
| 10 | DIGITAL CLAMP METER | <p style="text-align: center;">Specifications</p> <p>AC currentRange40.00 A / 400.0 A Accuracy2% ± 5 digits (45 Hz to 65 Hz) 2.5% ± 5 digits (65 Hz to 400 Hz) DC currentRange40.00 A / 400.0 A Accuracy2% ± 5 digits AC voltageRange600.0 V Accuracy1.5% ± 5 digits DC voltageRange600.0 V Accuracy1.0% ± 5 digits ResistanceRange400.0 Ω / 4000 Ω / 40.00 kΩ Accuracy1.0% ± 5 digits Continuity≤ 30 Ω Capacitance 0 to 100.0 μF / 100μF to 1000 μF Frequency5.0 Hz to 500.0 Hz AC responseTrue-RMS BacklightYes Data holdYes Contact temperature-10.0°C to 400.0°C (14.0°F to 752.0°F) Min/MaxYes SizeH x W x D (mm)207 x 75 x 34 Max wire diameter30 mm (600 MCM) Weight283 g Category ratingCAT III 600 V CAT IV 300 V</p> |  |
| 11 | DIGITAL MULTI METER | <p>Maximum voltage between any terminal and earth ground600 V</p> <p>SafetyIEC 61010-1: Pollution Degree 2 IEC 61010-2-033: CAT III 600V Fuse for A input11 A, 1000 V FAST Fuse (Fluke PN 803293) DisplayDigital: 6,000 counts, updates 4 per second Bar graph33 segments, updates 32 per second Operating temperature-10°C to +50°C Storage temperature-40°C to +60°C Battery type9 volt Alkaline, IEC 6LR61 Battery life400 hours typical, without backlight</p> <p>Accuracy Specifications</p> <p>DC millivoltsRange/resolution600.0 mV / 0.1 mV Accuracy±[% of reading] + [counts]: 0.5% + 2 DC voltsRange/resolution6.000 V / 0.001 V 60.00 V / 0.01 V 600.0 V / 0.1 V Accuracy±[% of reading] + [counts]: 0.5% + 2 Auto voltsRange/resolution600.0 V / 0.1 V Accuracy2.0% + 3 (DC, 45 Hz to 500 Hz) 4.0% + 3 (500 Hz to 1 kHz) AC millivolts¹ True RMSRange/resolution600.0 mV / 0.1 mV Accuracy1.0% + 3 (DC, 45 Hz to 500 Hz) 2.0% + 3 (500 Hz to 1 kHz) AC volts¹ True RMSRange/resolution6.000 V / 0.001 V 60.00 V / 0.01 V 600.0 V / 0.1 V Accuracy1.0% + 3 (DC, 45 Hz to 500 Hz)</p> |  |

| | | | |
|----|-----------------------------|--|---|
| 12 | VICE GRIP CR 10 | <p>10" 10R Straight (84-371) Induction hardened jaws last longer and grip better than non-induction hardened jaws Adjustment screw provides the ideal holding pressure Built-in wire cutter Forged steel is strong and durable</p> |  |
| 13 | RAKE | <p>Flat Carbon Steel Heavy Duty Dimension (WxLxH): 8x37x121cm</p> |  |
| 14 | ALLEN WRENCH | <p>Heat treated chrome vanadium steel shafts with a polished satin finish Extra-Long arm allows extra torque to be applied to the fixing One side of the wrench comes with ball hex keys that can be deflected within 30 degrees from being parallel to the screw head Sizes: 1.5,2,2.5,3,4,5,6,8, and 10mm Plastic holder with numbered wrench sizes Made of heat treated chrome vanadium steel Allen hex shaft, second side with ball head Set includes a plastic foldable holder</p> |  |
| 15 | ELECTRICAL PLIER | <p>Size: 200mm(L) Dimensions width=11 height=2 length=28.2 Weight 0.45 kgs</p> |  |
| 16 | PRECISION TOOL SET | <p>set with star screw, ergonomic handle, and grip Mounting Type; Multifunctional Combo Kit Number of pieces included; 24 Material: chrome vanadium alloy steel Head type; square head, Y type, cross, one word, plum type, hexagonal type, star type, rice type Weight; 128 (grams) scope of application Precision instruments, mobile phones, tablets, computers, watches, glasses, cameras, game consoles, chassis, circuits and other maintenance equipment.</p> |  |
| 17 | ELECTRICAL UTILITY TOOL SET | <p>Contains: 1/2" Drive 6-Point Sockets : 10, 11, 12, 13, 14, 17, 19, 22, 24mm 1/2" Drive Ratchet 10" Long 1/2" Drive Extensions: 5" & 10" Long Open End Wrenches: 11, 12, 13, 14, 17, 19mm Screwdrivers Slotted: 1/8", 5/32", 7/32", 1/4" Screwdrivers Phillips®: #0, #1, #2 Pliers: 6 3/4" Side Cutter, 7 3/8" Linesman, 8 3/8" Long Nose. Lockable storage case provides proper storage and access. 2 removable foam organizers with size imprinting on the socket, wrench, and screwdriver tool cutouts</p> |  |
| 18 | LONG NOSE 6 | <p>8 in Long Nose Pliers 3-Zone bi-material grips for comfort and control Black oxide finish helps resist corrosion Drop-forged steel for strength and durability</p> |  |
| 19 | PHILLIPS SCREW DRIVER 5 | <p>VANADIUM BLADES AND WITH TOUGH HARDENED BLACK OXIDE TIPS PH0 1/8" x 5"</p> |  |

| | | | |
|----|---------------------|--|---|
| 20 | SCREW DRIVER FLAT 5 | <p>3/16 x 5" (5 x 125mm)</p> <p>Cushion grip phillips screwdriver is chrome plated which is corrosion resistant soft grip handle provides better comfort and its used for fastening nuts and bolts</p> <p>Bi-material(PP+TPR) soft grip handle providing excellent comfort</p> <p>Chrome vanadium(Cr-V) balde for durability Magnetic tips for easy pick up and screw locator</p> <p>Three-sided handle allowing more torque with anti-slip and anti-rolling features</p> <p>Ergonomic design with finger point in neck-down area for precise control</p> <p>Built-in-hang hole for easy storage</p> <p>Screw tip identification on the handle for faster accessibility"</p> |  <p>3/16 X 4 IN 5 X 100 MM</p> |
| 21 | SCREW DRIVER FLAT 6 | <p>3/16 x 6" (5 x 150mm)</p> <p>Cushion grip phillips screwdriver is chrome plated which is corrosion resistant soft grip handle provides better comfort and its used for fastening nuts and bolts</p> <p>Bi-material(PP+TPR) soft grip handle providing excellent comfort</p> <p>Chrome vanadium(Cr-V) balde for durability Magnetic tips for easy pick up and screw locator</p> <p>Three-sided handle allowing more torque with anti-slip and anti-rolling features</p> <p>Ergonomic design with finger point in neck-down area for precise control</p> <p>Built-in-hang hole for easy storage</p> <p>Screw tip identification on the handle for faster accessibility"</p> |  <p>3/16 X 6 IN 5 X 150 MM</p> |
| 22 | SEALANT GUN | <p>HEAVY DUTY. 9" - 230MM. USE FOR SEALANT AND GLUE DISPENSER.</p> |  |
| 23 | SHOVEL FLAT | <p>Y-Grip Handle - Comfortable handle and firm grip. Carbon Steel - For strength and durability Rust and Scratches</p> <p>Its design to ensures good performance for digging in stony, clay and hard soils</p> <p>Optimum Wrist Angle - Lifting angle of 26 degree designed for optimal digging performance</p> <p>Wood Handle LxWxH 18 x 5 x104 cm</p> |  |
| 24 | SHOVEL POINTED | <p>Round Point Shovel Type High Quality Size: 9"W x 11-1/4"H Digging Scooping Transplanting Trenching</p> |  |
| 25 | SPATULA | <p>high quality putty knife *secure grip *stainless steel *flex blade</p> |  |
| 26 | CHAIN | <p>8mm DIN766 MF Grade 40 Calibrated Anchor Chain</p> |  |

| | | | |
|----|-----------------------------|--|--|
| 27 | WARNING TAPE | <p>Specifications</p> <p>Length: 300m Size: 7cm</p> |  |
| 28 | COMBINATION WRENCH TOOL SET | <ul style="list-style-type: none"> -Made of Chrome Vanadium Steel -Both the open ended head and the ring are angled at 15° for optimum accessibility -Nickel chrome plating protects against corrosion -Anti-slip feature -Heavy-duty nylon pouch -8mm,9mm,10mm,12mm,13mm,14mm,17mm,19mm,21mm,22mm, 24mm, 27mm, 30mm, 32mm |  |
| 29 | Penetrating Oil Spray | <p>Appearance: Aerosol-Aerosolized Liquid</p> <p>Color: Light(or pale) amber</p> | |

| | | | |
|---|-------------------------------|---|---|
| 1 | Metal Crew No. 10 | Sheet Metal Screw, Philips Drive Pan Head # 10 |  |
| 2 | Metal Crew No. 5 | Sheet Metal Screw, Philips Drive Pan Head # 5 | |
| 3 | Pure Nickle Plate 100x100 | 100x100mm Pure Nickel Ni Sheet Plate For Electroplating Anode Element 1mm |  |
| 4 | Heat Gun 220V 300W Heavy Duty | Heat Gun 220V 300W Heavy Duty |  |

| | | | |
|---|--|---|---|
| 1 | Soldering Iron Set Adjustable Temperature; 60-80w 220v | Soldering Iron Kit, 80W Adjustable Temperature Welding Tool Kit, with LCD Display, 5 Soldering Tips, Desoldering Pump, Portable Repair Soldering Iron Tools |  |
| 2 | Extension Wheel 15 meters length, 10amps, 220V | 10amps, 220v-240v, on/off switch, LED indicator, Safety Thermal Cutoff, 15 meters extension lead, easy wind handle |  |