



Santa Maria WATER DISTRICT

March 19, 2024

P-RFQ No. 2024-045

REQUEST FOR QUOTATION

SUPPLY AND DELIVERY OF VARIOUS ELECTRICAL SUPPLIES (WR-2024-01-009)

The Santa Maria Water District (SMWD) hereinafter referred to as "the Purchaser", through its Bids and Awards Committee (BAC), invite interested parties to submit price quotation for the project, "**SUPPLY AND DELIVERY OF VARIOUS ELECTRICAL SUPPLIES**" through Small Value Procurement (Sec. 53.9 of R.A. No. 9184) with Approved Budget for the Contract (ABC) of One Hundred Twenty-Five Thousand Three Hundred Eighty Pesos Only (**₱125,380.00**).

	Description	Qty	Unit	Unit Cost	Total Amount
1	AUXILLARY CONTACTOR	3	SET		
2	CIRCUIT BREAKER 15A	3	PC		
3	CIRCUIT BREAKER 160A	1	PC		
4	CIRCUIT BREAKER 20A	3	PC		
5	CIRCUIT BREAKER MINI 10A	5	PC		
6	CURRENT TRANSFORMER	10	PC		
7	ELECTRICAL TAPE BIG	30	ROLL		
8	HEAVY DUTY PLUG	6	PC		
9	HOA SELECTOR SWITCH	4	PC		
10	PLASTIC MOULDING 3/4	10	PC		
11	RUBBER TAPE	10	ROLL		
12	SOLDERLESS CONNECTOR	6	PC		
13	STRANDED WIRE 12 THHN	150	MTR		
14	STRANDED WIRE 14 THHN	150	MTR		
15	STRANDED WIRE 16 THHN	300	MTR		
	*** nothing follows ***				
	*** please see attached specifications***				

All items listed under the purchaser's specifications must be complied on a pass-fail basis.



Santa Maria WATER DISTRICT

Failure to meet any one of the requirements will result to rejection.

Likewise, it is understood that Purchaser's specifications are minimum requirements. The Bidder/Supplier may offer higher specifications or additional items, if any.

Procurement procedures will be conducted in accordance with the provisions of the Implementing Rules and Regulations (IRR) of Republic Act No. 9184 (Government Procurement Reform Act).

It is the intent of the Purchaser to evaluate the quotation for the item and award will be made to the quotation resulting in the overall lowest cost, meeting purchaser's technical specifications.

Likewise, in accordance with Section 54.6 and Appendix A of Annex "H" (Consolidated Guidelines for the Alternative Methods of Procurement) of the IRR of RA No. 9184, the supplier shall provide the following documentary requirements as a **condition for award** of the contract. The documents shall be attached together with the quotations.

1. PhilGEPS Registration Number
2. Mayor's/Business Permit
3. Photo Copy of Sample Official Receipt (OR)
4. Certificate of Registration (BIR FORM 2303); and
5. Duly Notarized Omnibus Sworn Statement.

Your prices must be quoted in Philippine Peso and must include the unit price and total price, inclusive of all taxes to be paid and other incidental cost to the delivery site if the contract is awarded.

Payment shall be through check and advance payment is not allowed. Payment shall only be made upon completion of delivery of all items.

All quotations may be typewritten or handwritten and may be placed in sealed envelope marked "**SUPPLY AND DELIVERY OF VARIOUS ELECTRICAL SUPPLIES**" (RFQ No. 2024-045) and must be submitted on or before **March 26, 2024, 11:00AM** at the SMWD main office. It may also be sent thru email on our official email address at smwdbulacan@yahoo.com on the specified time stated above and address to the **BAC Chairperson, Maria Leonora S. Romarate.**

Quotations shall be valid for thirty (30) calendar days from the deadline of submission of the same.

The delivery period shall be within **5 Days** from receipt of the Purchase Order (PO). The supplier should inform the purchaser at least two (2) days before the date of delivery. The Purchaser shall have the right to reject or to return the items that will be declared defective. The delivery will be made only during working days from 8:00 AM to 5:00 PM.

DELIVERY SITE: General Services Division of SMWD located at 301 J. P. Rizal St., Dulong Bayan, Santa Maria, Bulacan.

The prospective supplier shall submit the following:



Santa Maria

WATER DISTRICT

- a) Duly accomplished Quotation Form; and
- b) Brochures of the items offered, if any.

The Santa Maria Water District reserves the right to accept or reject any quotation, and to annul the procurement process and reject all quotations at any time prior to Contract award, without thereby incurring any liability to the affected supplier or suppliers. SMWD also reserves the right to waive any required formality in the proposals received, and select the proposal which it determines to be the most advantageous to the government.

Prepared by:










Noted by:

Sgd.

Sgd.

Romel P. Lazaga
Procurement Assistant

Maria Leonora S. Romarate
BAC Chairperson

1	Electrical Tape Big	Scotch® Super 33+ Vinyl Electrical Tape is a 7 mil thick, premium grade tape that provides electrical insulation for all wires and cables rated up to 600V.	
2	Rubber Tape	Self-fusing, ethylene propylene rubber backing and highly conformable, rubber-resin adhesive Temperature rated for continuous adhesion to 194°F (90°C) Special polyester liner keeps tape protected and clean during application ASTM Approved & RoHS 2002/65/EC Compliant	
3	Circuit Breaker 160A 2 sets EZELUG2503	RangeRange ComPact [In] rated current 160 A at 40 °C [Ue] rated operational voltage 690 V AC 50/60 Hz Network type AC Network frequency 50/60 Hz 3Phase 220V	
4	HOA Selector Swich	Schneider Electric Black Selector Switch, 3 Positions, Panel Mount - Harmony XB4 Series - XB4BD33	
5	Solderless Connector #1 size/ copper split bolt	Solderless Connector Two-Bolt Connector #1 2/0	
6	Circuit Breaker 15A 120/240V 10kA bolt on	Type, Bolt-on. Ampere, 15A. Terminal, Mechanical lug terminal 2-pole. Voltage, 230V	
7	Circuit Breaker 20A	Type, Bolt-on. Ampere, 20A. Terminal, Mechanical lug terminal 2-pole. Voltage, 230V	
8	Auxillary Contactor	Irms rated making capacity 140 A AC conforming to IEC 60947-5-1 1 250 A DC conforming to IEC 60947-5-1 Tightening torque 1.7 N.m - with screwdriver flat Ø 6 mm 1.7 N.m - with screwdriver Philips No 2 1.7 N.m - with screwdriver pozidriv No 2 height 48 mm Width 44 mm Depth 42 mm	
9	Cicuit Breaker Mini 10A	Instantaneous Tripping Type, D (10 - 20 x In) ; Interrupting Rating, 240VAC : 10kA ; Release Type, Thermal-Magnetic ; Service Life, Electrical : 10,000 operations	

10	Heavy Duty Plug	<p>Heavy Duty Regular Rubber Male Plug 10A 220V</p> <p>2. Keywords:Heavy Duty Male Plug 3. Item No:H10A-T-2B-PG16 4. Material:Metal 5. Colour: Grey 6. Flame Retardant Rating: V0 7. Ambient Temperature:-40~+125°C</p>	
11	Current Transformer 50/60hz 150/5A 220V	<p>Current Transformation Ratio(A) 150/5 Rated load(VA) 5 Excess current strength 40 times Accuracy class(Class) 1.0 Frequency(Hz) 50/60</p>	
12	Stranded Wire 16 THHN	150 meters 1.5mm double insulation	
13	Stranded Wire 14 THHN	150 meters 2.0mm double insulation	
14	Stranded Wire 12 THHN	150 meters 3.5mm double insulation	