

July 22, 2024

P-RFQ No. 2024-079

REQUEST FOR QUOTATION

**SUPPLY AND DELIVERY OF VARIOUS CONTROL PANEL COMPONENTS OF PUMP STATIONS
(WR-2024-01-010, 02-024, 06-035)**

The Santa Maria Water District (SMWD) hereinafter referred to as “the Purchaser”, through its Bids and Awards Committee (BAC), invite interested parties to submit price quotation for the project, “**SUPPLY AND DELIVERY OF VARIOUS CONTROL PANEL COMPONENTS OF PUMP STATIONS**” through Small Value Procurement (Sec. 53.9 of R.A. No. 9184) with Approved Budget for the Contract (ABC) of Two Hundred Forty-Seven Thousand Nine Hundred Eighty-Nine Pesos Only (**₱247,989.00**).

	Description	Qty	Unit	Unit Cost	Total Amount
1	AC LIGHTING SURGE ARRESTOR	1	PC		
2	CIRCUIT BREAKER 125A	1	PC		
3	CONTROL LIQUID SENSOR RELAY L/H BW	3	PC		
4	LIQUID SENSOR CONTROL RELAY R/H BW	1	PC		
5	MAGNETIC CONTACTOR LC1D8011 M7	1	PC		
6	MAGNETIC CONTACTOR LC1D9511 M7	3	PC		
7	PRESSURE SWITCH - INDUSTRIAL	2	PC		
8	THERMAL OVERLOAD RELAY LRD 365	3	PC		
9	UNDER/OVER RELAY VOLTAGE SENSOR	1	PC		
	*** nothing follows ***				
	please see attached technical specifications				

All items listed under the purchaser’s specifications must be complied on a pass-fail basis.

Failure to meet any one of the requirements will result to rejection.

Likewise, it is understood that Purchaser’s specifications are minimum requirements. The Bidder/Supplier may offer higher specifications or additional items, if any.

Procurement procedures will be conducted in accordance with the provisions of the Implementing Rules and Regulations (IRR) of Republic Act No. 9184 (Government Procurement Reform Act).



It is the intent of the Purchaser to evaluate the quotation for the item and award will be made to the quotation resulting in the overall lowest cost, meeting purchaser's technical specifications.

Likewise, in accordance with Section 54.6 and Appendix A of Annex "H" (Consolidated Guidelines for the Alternative Methods of Procurement) of the IRR of RA No. 9184, the supplier shall provide the following documentary requirements as a **condition for award** of the contract. The documents shall be attached together with the quotations.

1. PhilGEPS Registration Number
2. Mayor's/Business Permit
3. Photo Copy of Sample Official Receipt (OR)
4. Certificate of Registration (BIR FORM 2303); and
5. Duly Notarized Omnibus Sworn Statement.

Your prices must be quoted in Philippine Peso and must include the unit price and total price, inclusive of all taxes to be paid and other incidental cost to the delivery site if the contract is awarded.

Payment shall be through check and advance payment is not allowed. Payment shall only be made upon completion of delivery of all items.

All quotations may be typewritten or handwritten and may be placed in sealed envelope marked "**SUPPLY AND DELIVERY OF VARIOUS CONTROL PANEL COMPONENTS OF PUMP STATIONS**" (RFQ No. 2024-078) and must be submitted on or before **July 26, 2024, 11:00AM** at the SMWD main office. It may also be sent thru email on our official email address at smwdbulacan@yahoo.com on the specified time stated above and address to the **BAC Chairperson, Maria Leonora S. Romarate**.

Quotations shall be valid for thirty (30) calendar days from the deadline of submission of the same.

The delivery period shall be within **5 Days** from receipt of the Purchase Order (PO). The supplier should inform the purchaser at least two (2) days before the date of delivery. The Purchaser shall have the right to reject or to return the items that will be declared defective. The delivery will be made only during working days from 8:00 AM to 5:00 PM.

DELIVERY SITE: General Services Division of SMWD located at 301 J. P. Rizal St., Dulong Bayan, Santa Maria, Bulacan.

The prospective supplier shall submit the following:

- a) Duly accomplished Quotation Form; and
- b) Brochures of the items offered, if any.

The Santa Maria Water District reserves the right to accept or reject any quotation, and to annul the procurement process and reject all quotations at any time prior to Contract award, without thereby incurring any liability to the affected supplier or suppliers. SMWD also reserves the right to waive any required formality in the proposals received, and select the proposal which it determines to be the most advantageous to the government.



Santa Maria

WATER DISTRICT

Prepared by:

Sgd.








Romel P. Lazaga
Procurement Assistant


Noted by:

Sgd.

Maria Leonora S. Romarate
BAC Chairperson

Water Resource Division
 SPECIFICATIONS
 PR No.: WR-2024-06-035

NO.	ITEM	SPECIFICATION	REMARKS
1	Circuit Breaker 125A 2 sets EZELUG2503	RangeRange ComPact [In] rated current 125 A at 40 °C [Ue] rated operational voltage 690 V AC 50/60 Hz Network type AC Network frequency 50/60 Hz 3Phase 220V	
2	Thermal Overload Relay LRD 365	Trip Class 10Input Voltage 415VOutput Voltage 415VInput Phases 3Output Phases 3Overload 80 to 104 Amp rangeFrame Size JR28-150Width 95mmHeight 105mmDepth 140mmWeight 1.000000Approvals CEModel No JR28-150 80-104Mounting Type Din RailFrame Material PlasticPoles 3	
4	Control Liquid Sensor Relay R/H B/W	Ametek,1500-F-L1-S10,Liquid Level Control Relay R/H	
5	Under/Over Relay Voltage Sensor	3 phase AC220V AC380 50/60Hz JVM-2 with socket	
6	AC lighting surge arrester	Ground white 480V max 104-018	
10	magnetic contact LC1D9511M7	LC1D9511M7 magnetic contactor 220V 50/60hz Rated Operationa Current - 95A	
11	magnetic contact LC1D8011M7	LC1D8011M7 magnetic contactor 220V 50/60hz Rated Operationa Current - 125A	

	Control Liquid Sensor Relay L/H B/W	Ametek,1500-F-L1-S10,Liquid Level Control Relay L/H	
	Pressure Switch - Industrial 100psi	Regulation range [bar] Pe: -1.00 - 0.00, Differential [bar]: 0.09 - 0.40, Contact function: SPDT, Reset function: Auto, Pressure connection type: G, Pressure connection size: 3/8, Pressure Male/Female: Male, Enclosure rating IP: IP66, Max. Working Pressure [bar]: 7.0	