

August 12, 2024

P-RFQ No. 2024-083

REQUEST FOR QUOTATION

SUPPLY AND DELIVERY OF VARIOUS CONTROL PANEL COMPONENTS OF CAYSIO PUMP STATION (WR-2024-08-039)

The Santa Maria Water District (SMWD) hereinafter referred to as "the Purchaser", through its Bids and Awards Committee (BAC), invite interested parties to submit price quotation for the project, "SUPPLY AND DELIVERY OF VARIOUS CONTROL PANEL COMPONENTS OF CAYSIO PUMP STATION" through Small Value Procurement (Sec. 53.9 of R.A. No. 9184) with Approved Budget for the Contract (ABC) of Seventy-Five Thousand Ninety-One Pesos and Twenty-Four Centavos Only (\$\mathbf{P}75,091.24).

	Description	Qty	Unit	Unit Cost	Total Amount
1	CIRCUIT BREAKER 125A	1	PC		
2	MAGNETIC CONTACTOR LC1D9511 M7	1	PC		
3	CONTROL LIQUID SENSOR RELAY L/H BW	1	PC		
4	LIQUID SENSOR CONTROL RELAY R/H BW	1	PC		
5	CONTROL RELAY CAD32	1	PC		
6	TIMER	1	PC		
7	AC LIGHTING SURGE ARRESTOR	1	PC		
8	ELECTRICAL CABLE LUGS 60MM	15	PC		
9	SELF TAPPING SCREW	25	PC		
10	LOCK WITH KEY FOR INDUSTRIAL PANEL	1	PC		
11	TEX SCREW 4	4	PC		
	*** nothing follows ***				
	please see attached technical specifications				

All items listed under the purchaser's specifications must be complied on a pass-fail basis.

Failure to meet any one of the requirements will result to rejection.

Likewise, it is understood that Purchaser's specifications are minimum requirements. The Bidder/Supplier may offer higher specifications or additional items, if any.





Procurement procedures will be conducted in accordance with the provisions of the Implementing Rules and Regulations (IRR) of Republic Act No. 9184 (Government Procurement Reform Act).

It is the intent of the Purchaser to evaluate the quotation for the item and award will be made to the quotation resulting in the overall lowest cost, meeting purchaser's technical specifications.

Likewise, in accordance with Section 54.6 and Appendix A of Annex "H" (Consolidated Guidelines for the Alternative Methods of Procurement) of the IRR of RA No. 9184, the supplier shall provide the following documentary requirements as a **condition for award** of the contract. The documents shall be attached together with the quotations.

- 1. PhilGEPS Registration Number
- 2. Mayor's/Business Permit
- 3. Photo Copy of Sample Official Receipt (OR)
- 4. Certificate of Registration (BIR FORM 2303); and
- 5. Duly Notarized Omnibus Sworn Statement.

Your prices must be quoted in Philippine Peso and must include the unit price and total price, inclusive of all taxes to be paid and other incidental cost to the delivery site if the contract is awarded.

Payment shall be through check and advance payment is not allowed. Payment shall only be made upon completion of delivery of all items.

All quotations may be typewritten or handwritten and may be placed in sealed envelope marked "SUPPLY AND DELIVERY OF VARIOUS CONTROL PANEL COMPONENTS OF CAYSIO PUMP STATION" (RFQ No. 2024-078) and must be submitted on or before August 21, 2024, 11:00AM at the SMWD main office. It may also be sent thru email on our official email address at smwdbulacan@yahoo.com on the specified time stated above and address to the BAC Chairperson, Maria Leonora S. Romarate.

Quotations shall be valid for thirty (30) calendar days from the deadline of submission of the same.

The delivery period shall be within **5 Days** from receipt of the Purchase Order (PO). The supplier should inform the purchaser at least two (2) days before the date of delivery. The Purchaser shall have the right to reject or to return the items that will be declared defective. The delivery will be made only during working days from 8:00 AM to 5:00 PM.

DELIVERY SITE: General Services Division of SMWD located at 301 J. P. Rizal St., Dulong Bayan, Santa Maria, Bulacan.

The prospective supplier shall submit the following:

- a) Duly accomplished Quotation Form; and
- b) Brochures of the items offered, if any.

The Santa Maria Water District reserves the right to accept or reject any quotation, and to annul the procurement process and reject all quotations at any time prior to Contract award, without thereby incurring any liability to the





affected supplier or suppliers. SMWD also reserves the right to waive any required formality in the proposals received, and select the proposal which it determines to be the most advantageous to the government.

Prepared by:	Noted by:		
Sgd.	Sgd.		
Romel P. Lazaga	Maria Leonora S. Romarato		
Procurement Assistant	BAC Chairperson		



NO.	ITEM	SPECIFICATION	REMARKS
1	Circuit Breaker 125A 2 sets EZELUG2503	RangeRange ComPact [In] rated current 125 A at 40 °C [Ue] rated operational voltage 690 V AC 50/60 Hz Network type AC Network frequency 50/60 Hz 3Phase 220V	
2	Magnetic contact LC1D9511M7	LC1D9511M7 magnetic contactor 220V 50/60hz 104amps	
3	Control Liquid Sensor Relay B/W (R/H)	Ametek,1500-F-L1-S10,Liquid Level Control Relay R/H	AMERICAN AMERICAN CHINE VOLTAGE DESCRIPTION CHINE VOLTAGE CHI
4	Control Liquid Sensor Relay R/W (L/H)	Ametek,1500-F-L1-S10,Liquid Level Control Relay L/H	AMETER OLINE VOLTAGE 120 SONG HE 120 SONG HE OLINE VOLTAGE 120 SONG HE OLINE VOLTAGE OLIN
5	Control Relay CAD32	The Schneider Electric CAD32 control relay has 3 N.O. and 2 N.C. contacts, is rated for 10 AMPS and has an AC rated coil. The CAD32 mounts on standard 35mm	
6	Timer 8 pins	48 x 48mm front-panel/plug-in High-/low-voltage models (except -H and -G) 0.05 s to 300 h (except -H and -G) DPDT, 5A at 250VAC Transistor 100mA at 30VDC	(case)
7	Lightning arrester	3 phase lightning arrester, 220v, 4 core - line 1, line 2, line 3 and groung wire	MONARK MICHAEL SALETANA MICH



NO.	ITEM	SPECIFICATION	REMARKS
8	Self taping screw	wafer head self drilling screw, sizes 3/4" and 3 "1/2	THE THE PARTY OF T
9	Electrical Cable Lugs	60mm (2/0) - 3/8 Type: Single Hole Terminals Material: Copper Application: Conduct Electricity Character: High Temperature Resistance Species: Terminal Production Process: Cold Pressing	
10	Industrial panel lock with keys	Material: Zinc Alloy Finish: Chrome Plated Includes: 2 keys, 1 cam	
11	Tex screw 4"	Carbon Steel Type: Hexagon Head Groove: Hexagon Connection: Common Bolt Head Style: Hexagonal Standard: DIN, GB	